Wheel Balancer and Wheel Weights



## BADA

#### **Thinline Wheel Weights**

Thinline weights come in 20 sizes for all passenger cars except Cadillac and Lincoln which require Bada Special wheel weights.



	Part No.
Туре	& Size
	T-0.25
Α	T-0.5
	T-0.75
	T-1.0
	T-1.25
В	T-1.5
	T-1.75
	T-2.0
C	T-2.25
	T-2.5
	T-2.75
	T-3.0
	T-3.25
	T-3.5
	T-3.75
	T-4.0
	T-4.5
	T-5.0
	T-5.5
	T-6.0

### **Special Wheel Weights**

Special weights are made in 7 sizes specifically designed for Cadillacs, Lincolns and other straight flanged rims.



Part No.
& Size
S-0.5
S-1.0
S-1.5
S-2.0
S-2.25
S-2.5
S-3.0



Be sure you get the best weights at the best price.
Ask for them by name...

#### BADA MICRO THINLINE®

All Bada Micro Thinline weights have the famous safety grip-clip with sharp tooth for extra holding power.

note: A B C type weights are especially adapted for use with the Bada #M-60 wheel balancing system.

# BADA

#### M-60 Wheel Balancer




#### Wheel Balancer Package

Profit package from Bada contains everything for expert wheel balancing.

- 1 Model M-60 Balancer complete.
- 1 PM-102 weight tool.
- •1 wall instruction chart.
- •1 owners manual.
- 1 Box T-0.5 (A) Thinline weights.
- 1 Box T-1.5 (B) Thinline weights.
- 1 Box T-2.25 (C) Thinline weights.



#### **BADA BALANCER ACCESSORIES**



PM 102 WEIGHT TOOL. Balanced hammer of forged steel with molded rubber grip. Two-way action. Use one side to remove weights and wheel covers. Other side to add new weights.



PM 103 ADAPTER. For VW, Porsche thru '63. Pontiac since '60 with G.P. wheels. Provides standard center hole for open center wheels. 9 lug bolt holes. Bolt circle patterns: 5 holes—8.056" dia. 4 holes—10.25" dia.



PM 104-A ADAPTER. Replaces 104. For VW Dasher, Audi Fox, Opel, BMW 1600, Renault, Peugeot. For wheels with small center holes. 10 lug bolt holes. Bolt circle patterns: 3 holes—5.937" and 6.312" dias. 4 holes—3.933" dia.



PM 105 ADAPTER. For Chevrolet, GMC, Ford, Dodge, Int'l 3/4, 1 ton trucks with 6 or 8 bolt holes. Reduces center holes to fit balancer. 7 lug bolt holes. Bolt circle patterns: 8 (4) holes -6.5" dia. 6 (3) holes -7.25" dia.




PM 106 WEIGHT CABINET. Provides space on top for 6 sizes of weights. Bottom shelf for tools. Constructed of steel in Hammertone Gold to match the M-60 Balancer.



PM 107 ADAPTER. For sport type wheels designed to fit standard-sized domestic cars with following bolt hole patterns: 20 lug bolt holes. Bolt circle patterns: 5 holes – 4", 4.5", 4.75" and 5" dias. Solves clearance and center hole problems.



PM 108 ADAPTER. For Saab. Provides smaller center hole to fit balancer. 5 lug bolt holes. Bolt circle pattern: 5 holes—6.685" dia.



PM 109 TIRE MARKING CRAYON. Super marker. Leaves bright yellow mark even on wet rubber. A must for balancing and tire identification. Twelve 3" sticks per box.



PM 110-A ADAPTER. Replaces PM 110 (12 lug bolt holes). For optional sport wheels on: Mustang II, Pinto, Vega GT, Starfire, Monza, Skyhawk, Capri, MGB, Toyota, Corona, Corolla, Celica, some VW Bugs. 16 lug bolt holes. Bolt circle patterns: 4 holes — 4", 4.25", 4.5" and 5.082" dias.

### Bada adds weight and balance to the Hennessy Team

Bada, leading maker of wheel weights and balancers, is the newest member of the growing Hennessy team. This solidification of marketing talents and manufacturing knowhow in the automotive wheel service industry will help Hennessy serve its customers even more effectively than before. To the network of over 170 Hennessy customer service centers and sales offices throughout the country, Bada adds its manufacturing facilities in Pasadena, Ca. and Bowling Green, Ky.



#### BADA Company, Inc.

Box #16, Arroyo Annex, Pasadena, Calif. 91109



110 Lackawanna Avenue, West Paterson, N.J. 07424 • Telephone (201) 256-3110 77 North Miller Rd., Akron, Ohio 44313 • Telephone (216) 864-7200 P.O. Box 66389, AMF-O'Hare, Illinois 60666 • Telephone (312) 437-8944 5729 Savoy Lane, Houston, Texas 77036 • Telephone (713) 782-7700 3453 Cahuenga Blvd., Los Angeles, California 90068 • Telephone (213) 851-4545